

# MATERIAL SAFETY DATA SHEET

ApolloX Foaming

Date of issue: 25-06-2025 / Date of update: 25-06-2025



## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identification

Product name: ApolloX Foaming

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Filament for FDM 3D printing / pellets for FGF 3D printing.

### 1.3 Data on the supplier of the safety data sheet

Supplier: FormFutura BV  
Address: Tarweweg 3, 6534 AM, Nijmegen, the Netherlands  
Phone: +31 (0)88 743 4000  
Email: product.compliance@formfutura.com

### 1.4 Emergency telephone number

112

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Aquatic Chronic 3 H412: Harmful to aquatic life with long lasting effects.

### 2.2 Label elements

- Hazard pictograms and signal words: None
- Names of substances mentioned on label: None
- Hazard statements: **H412:** Harmful to aquatic life with long lasting effects.
- Precautionary statements: **P273:** Avoid release to the environment  
**P501:** Dispose of contents/container to properly labeled waste containers in accordance with national legislation.

### 2.3 Other hazards

The substances contained in the product do not meet criteria for PBT or vPvB in accordance with Annex XIII of REACH Regulation. The product does not contain substances included in the list established in accordance with Article 59 (1) for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0.1 % by weight.

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable.

### 3.2 Mixtures

CAS number: 540-84-1 EC number: 208-759-1 Index number: 601-009-00-8 REACH number: -	<u>2,2,4-trimethylpentane</u> Flam. Liq. 2 H225, Asp. Tox. 1 H304, Skin Irrit. 2 H315, STOT SE 3 H336, Aquatic Acute 1 H400 (M=1), Aquatic Chronic 1 H410 (M=1)	< 1 %
---	--	-------

## SECTION 4: First aid measures



# MATERIAL SAFETY DATA SHEET

ApolloX Foaming

Date of issue: 25-06-2025 / Date of update: 25-06-2025



## 4.1. Description of first aid measures

The filament is not hazardous to human health. The information on first aid provided below relates to the situation when the exposure was caused by working with the hot product during printing.

- Eye contact:** During printing process: splashes of liquid filament may cause burns. Put on sterile dressing. Contact an ophthalmologist immediately.
- Skin contact:** During printing process: possible thermal burns. Rinse damaged skin with cold water. Put on sterile dressing. Contact doctor.
- Inhalation:** During printing process: remove the victim to fresh air. Keep warm and calm. Consult a doctor, if disturbing symptoms occur.
- Ingestion:** Exposure by this route does not typically occur. If swallowed, rinse mouth with water. Do not induce vomiting. Contact a doctor, show container or label.

## 4.2. Most important symptoms and effects, both acute and delayed

- Skin contact: contact with the product at high temperature may cause severe burns.
- Eye contact: at high temperatures, the vapors generated during printing process may cause irritation.
- Inhalation: prolonged inhalation of fumes evolved during the printing process may cause headaches, poor concentration, exhaustion.

## 4.3. Indication of any immediate medical attention and special treatment needed

Physician makes a decision regarding further medical treatment after thoroughly examination of the injured. Symptomatic treatment.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing agents

**Suitable extinguishing media:**

extinguishing powder, extinguishing foam, water spray, carbon dioxide.

**Unsuitable extinguishing media:**

Water jet – risk of fire propagation

### 5.2. Specific hazards associated with a substance or mixture

During combustion harmful fumes consisting of carbon oxides, oxides of nitrogen and other harmful products of thermal decomposition may be produced. Do not inhale combustion products, it may cause health risk.

### 5.3. Information for the firefighters

Personal protection typical in case of fire. Do not stay in the fire zone without self-contained breathing apparatus and protective clothing resistant to chemicals. Do not let extinguishing water to reach drainage system, surface water and groundwater. Collect used extinguishing media.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Handle in accordance with good occupational hygiene and safety practices. Ensure that effects of the breakdown are removed only by qualified personnel. Ensure adequate ventilation. Avoid inhalation of fumes evolved during the printing process.



# MATERIAL SAFETY DATA SHEET

ApolloX Foaming

Date of issue: 25-06-2025 / Date of update: 25-06-2025



## 6.2. Environmental precautions

In case of release of large amounts of the product, it is necessary to take appropriate steps to prevent it from spreading into the environment.

## 6.3. Methods and materials preventing the spread of contamination and used for cleaning up

Collect mechanically. Collected material should be reused or treated as a waste.

## 6.4. Reference to other sections

Appropriate conduct with waste product – section 13. Personal protective equipment – see section 8.

## SECTION 7: Handling and storage

### 7.1. Safe handling advice

Handle in accordance with good occupational hygiene and safety practices. Use only as intended. In case of rubbing or friction, accumulation of electrostatic charges on the filament surface may occur. Accumulated electric charge can be transferred to the user and may be a source of ignition - use extreme caution when working with flammable materials. Ensure adequate ventilation. Avoid breathing fumes generated during the printing process.

### 7.2. Storage

Store filament only in a cool, dry place protecting against weather (direct sunlight, frost, precipitation etc.). Protect from sources of fire and naked flames. Do not store with incompatible materials (see subsection 10.5).

### 7.3. Specific end use(s)

No information about uses other than mentioned in subsection 1.2.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Product does not contain components with occupational exposure limit values established on the European Union level.

Legal Basis: 91/322/EEC as amended, 98/24/EC as amended, 2000/39/EC as amended, 2004/37/EC as amended.

Please check also any national occupational exposure limit values in your country.

### 8.2. Exposure controls

#### Engineering measures:

Observe good occupational hygiene and safety practices. Do not eat, drink or smoke when using the product. Wash hands thoroughly before breaks and after work.

#### Individual protection measures, such as personal protective equipment:

The necessity to use and selection of appropriate personal protective equipment should take into account the type of risk created by the product, conditions at the workplace and the manner of handling the product. The personal protective equipment used must meet the requirements of Regulation (EU) 2016/425 and the relevant standards.

#### General safety and hygiene:

Keep away from foodstuffs, beverages, and food.

Do not eat, drink, smoke.



# MATERIAL SAFETY DATA SHEET

ApolloX Foaming

Date of issue: 25-06-2025 / Date of update: 25-06-2025



Do not breathe dust / smoke.  
Avoid contact with eyes and skin.  
Wash hands before breaks and after work.

## Breathing equipment:

Under normal conditions of use is not required. In emergency situation, when exposed to high concentrations of fumes evolved in printing process appropriate respiratory protective equipment should be worn. FFP2 protective masks recommended.

## Hand and body protection:

Use protective gloves and protective clothing if a risk assessment indicates this is necessary (EN 374).

## Eye protection:

Use tightly fitting protective glasses (EN ISO 16321-1:2022-10).

## Thermal hazards:

If contact with the hot product is expected, use heat-resistant gloves in accordance with EN 407 standard.

## Environmental exposure controls:

Avoid release of large amounts of the product to groundwater, drainage system or soil.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	Solid
Appearance:	Wire, filament, or pellets.
Color:	According to assortment.
Odor:	Characteristic.
pH:	Not determined.
Vapor pressure:	Not determined.
Vapor density:	Not determined.
Evaporation rate:	Not determined.
Partition Coefficient (n-octanol/water):	Not determined.
Density:	Not applicable.
Decomposition temperature:	Not determined.
Boiling point / boiling range:	Not determined.
Melting point / melting range:	ca 302 °C (CAS 540-84-1)
Autoignition temperature:	Not determined.
Freezing point:	Not determined.
Flash point:	Not determined.
Flammability:	Product is not classified in terms of flammability.
Flammability Limits in Air:	Not determined.
Water solubility:	Not determined.
Solubility in other solvents:	Not determined.
Solubility:	Not determined.
Other Standards:	None

### 9.2. Other standards



# MATERIAL SAFETY DATA SHEET

ApolloX Foaming

Date of issue: 25-06-2025 / Date of update: 25-06-2025



No additional test results.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Product is resistant to chemicals. See also subsections 10.3-10.5.

### 10.2. Chemical stability

The product is stable under normal conditions of handling and storage.

### 10.3: Possibility of hazardous reactions

Not known

### 10.4. Conditions to avoid

Protect from direct sunlight, sources of fire and heat, except from processes connected directly with using of the product.

### 10.4. Incompatible materials

Oxidizers.

### 10.5. Hazardous decomposition products

Not known.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

- **Principle routes of exposure:** Skin contact, Eye contact, Inhalation, Ingestion.
- **Acute toxicity:** Based on available data, the classification criteria are not met.
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitization** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Information on likely routes of exposure** Routes of exposure: skin contact, eye contact, inhalation. See subsection 4.2 for more information on the effects from each possible route of exposure.
- **Symptoms related to the physical, chemical and toxicological characteristics** Hot product vapors may cause eye irritation. Contact with the hot product may cause skin burns.
- **Delayed and immediate effects as well as chronic effects from** No data.



# MATERIAL SAFETY DATA SHEET

ApolloX Foaming

Date of issue: 25-06-2025 / Date of update: 25-06-2025



short and long-term  
exposure

## 11.2. Information on other hazards

- **Endocrine disrupting properties** The product does not contain substances included in the list established in accordance with Article 59 (1) for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0.1 % by weight.
- **Other information** No data.

## SECTION 12: Ecological information

### 12.1. Ecotoxicity effects

Harmful to aquatic life with long lasting effects.

### 12.2. Persistence and degradability

No data.

### 12.3. Bioaccumulation

No data.

### 12.4. Mobility in soil

Product is not mobile in soil.

### 12.5. Results of PBT and vPvB assessment

Product does not contain ingredients, which meet criteria for PBT or vPvB in accordance with Annex XIII of REACH Regulation.

### 12.6. Endocrine disrupting properties

The product does not contain substances included in the list established in accordance with Article 59 (1) for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0.1 % by weight..

### 12.7. Other adverse effects

Product has no influence on global warming and destruction of the ozone layer. Consider other harmful effects of individual components of the mixture on the environment (e.g., global warming potential).

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste material should be stored in designated place for recycling or utilization. Waste product should be recovered or disposed of in authorized incineration plants or waste facility in accordance with local regulations.

Legal basis: Directive 2008/98/EC as amended, 94/62/EC as amended.

## SECTION 14: Transport information

### 14.1. UN number or ID number



# MATERIAL SAFETY DATA SHEET

ApolloX Foaming

Date of issue: 25-06-2025 / Date of update: 25-06-2025



Not applicable. Product is not classified as dangerous during transportation.

## 14.2. UN proper shipping name

Not applicable.

## 14.3. Transport hazard class(es)

Not applicable.

## 14.4. Packing group

Not applicable.

## 14.5. Environmental hazards

Not applicable.

## 14.6. Special precautions for user

Not applicable.

## 14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**Regulation (EC) No 1907/2006** of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC as amended.

**Commission Regulation (EU) No 2020/878** of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

**Regulation (EC) No 1272/2008** of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 as amended.

**Regulation (EC) No 1272/2008** of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 as amended.

**European Parliament and Council Directive 94/62/EC** of 20 December 1994 on packaging and packaging waste as amended.

**Directive 2008/98/EC** of the European Parliament and of the Council of 19 November 2008 on waste and repealing certain Directives as amended.

**Regulation (EU) No 2016/425** of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC.





# MATERIAL SAFETY DATA SHEET

ApolloX Foaming

Date of issue: 25-06-2025 / Date of update: 25-06-2025



**Commission Directive 2000/39/EC** of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

**Commission Directive 2006/15/EC** of 7 February 2006 establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC.

**Commission Directive 2009/161/EU** of 17 December 2009 establishing a third list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Commission Directive 2000/39/EC.

**Commission Directive 2017/164/EU** of 31 January 2017 establishing a fourth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC, and amending Commission Directives 91/322/EEC, 2000/39/EC and 2009/161/EU.

**Commission Directive 2019/1831/EU** of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC.

## 15.2. Chemical safety assessment

It is not necessary to carry out a chemical safety assessment for mixture.

## SECTION 16: Other information

**Full text of indicated H phrases mentioned in section**

**H225** Highly flammable liquid and vapour.

**H304** May be fatal if swallowed and enters airways.

**H315** Causes skin irritation.

**H336** May cause drowsiness or dizziness.

**H400** Very toxic to aquatic life.

**H410** Very toxic to aquatic life with long lasting effects.

**Explanations of abbreviations:**

- **CLP:** Regulation No. 1272/2008
- **IATA:** International Air Transport Association
- **IMDG:** International Maritime Dangerous Goods
- **IMO:** International Maritime Organisation
- **PBT:** Persistent, Bioaccumulative, Toxic
- **REACH:** Registration, Evaluation and Authorisation of Chemicals
- **vPvB:** very Persistent, very Bioaccumulative
- **STEL:** Short-Term Exposure Limit
- **LD50:** Lethal Dose
- **LC50:** Lethal Concentration
- **EC50:** Effective Concentration 50%
- **DNEL:** Derived No-Effect Level
- **PNEC:** Predicted No-Effect Concentration
- **OEL:** Occupational Exposure Limit
- **ADR:** Agreement concerning the International Carriage of Dangerous Goods by Road
- **AND:** European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways





# MATERIAL SAFETY DATA SHEET

ApolloX Foaming

Date of issue: 25-06-2025 / Date of update: 25-06-2025



- **RID:** regulations for international transport of dangerous goods by rail
- **MARPOL:** International Convention for the Prevention of Pollution from Ships
- **Aquatic Acute 1:** Toxicity for aquatic organisms – acute toxicity category 1
- **Aquatic Chronic 1:** Toxicity for aquatic organisms – chronic toxicity category 1
- **Asp. Tox. 1:** Aspiration hazard cat. 1
- **Flam. Liq. 2:** Flammable liquid cat. 2
- **Skin Irrit. 2:** Skin irritation cat. 2
- **STOT SE 3:** Specific target organ toxicity – single exposure cat. 3

## Trainings

Before commencing working with the product, the user should learn the Health & Safety regulations, regarding handling chemicals, and in particular, undergo a proper workplace training.

## Key literature references and data sources

This sheet was prepared on the basis of on manufacturer's data, literature data, online databases, our knowledge and experience, taking into account the current legislation.

## Procedures used to classify the mixture

Classification was based on data on hazardous substances calculation method under the guidance of Regulation 1272/2008/EC (CLP) as amended.

## Disclaimer:

This safety data sheet (SDS) is issued based on the latest reference, data, etcetera currently available. The information in this SDS has been carefully assessed, but no guarantee is given for its accuracy. We cannot anticipate all conditions under which this product may be used. It is the user's responsibility to take appropriate safety measures for handling.

